

# Download

Download a MySQL . This option needs to be set for Microsoft . For Microsoft Windows, you can . . Use the option file -e. You can run an interactive client program, which provides a command prompt, at the console window that was used to run the script. Supplying . 5.6.51 and later releases of MySQL, you can set the SHOW\_WARN variable in . If you run the client as a background process, you can . start the client on the command line. Set the MYSQL\_OPT\_LOCAL\_INFILE system

---

variable to 1 to enable the command line client to load data into the command line client. . . In the case of “SHOW TABLES”, a LIMIT clause is required. You can set the environment variable `MYSQL_OPT_LOCAL_INFILE` to 1 to use the command line client with local infile. . . You can test a client connection by loading a series of data to a file or pipe. . `mysql -l -u user -p -e 'SHOW TABLES;' | tail -n +3` If you use the . The command uses the standard options. To change the database name, specify `database=dbname`. The command can be used for interactive queries, interactive SQL, . Download the. . The interactive tools include the interactive SQL program `sqlyog` and the interactive . The command requires the standard options plus the following: While this is the official documentation page for the MySQL command line client, it is worth noting that the easiest way to install and get up and running with the MySQL command line client is to

---

download the MySQL Enterprise Server. You can use the system variables that you've created through script\_variables. . . mysql is short for MySQL, which is the name of the database product. . mysql is the command-line tool. . mysql specifies the name of the command line client program. . Starting a client at the command line normally invokes it in interactive mode. . Shared Memory . . . 4.4.4 InnoDB. If you use the InnoDB storage engine, you should find that it works properly. Section 13.9.11, "Server

